## TIPS TO MAKE REVISION EASIER

www.tbisociety.org

- Put \* to show the corresponding author,
- Email address: Only show email address of the corresponding author.
- Affiliation:
  - Department
  - University
  - Full address

## Title of Your Paper

Jian-Guo Zhao<sup>1</sup>, Jason FT Mak<sup>1,2</sup>, David Jones<sup>2\*</sup> (Given name Surname)

<sup>1</sup>Name of institution of the first author, Street name, City, State, post code, Country <sup>2</sup>Name of institution of the second author, Street name, City, State, post code, Country

\*Corresponding author's email: Davidjones david@yahoo.com

## 1.Quote The Source of the Image



For images used, you need to put the source of the image in either ways.

Fig. 1. Norfolk jacket, lounge-suit jacket, Knickerbockersuit [5]

Shanghai science and Technology Press. 2010.

- [2] Liu RP. The principles & practices of pattern design. Beijing: China Textile & Apparel Press,2008.
- [3] The editorial department of Hearst Fujingaho. GOLF WEAR. Japan: Hearst Fujingaho, 1989.
- [4] Josh Sims. Icons of Men's Style.UK: Laurence King Publishing Ltd, 2011.
- 51 Cally Blackman. One Hundred Years of Menswear. UK: Laurence King PublishingLtd, 2009.p.118
- [6] Li DQ.History of costume in the west. Beijing: Higher Education Press, 2005.
- [7] Mai Z. GOLF. Beijing: PHEI, 2013.p.137,155
- [8] Li F. The fashion trend of sportswear. Shanghai Silk, 2001, p.4.
- [9] Wang SY. The development tendency of golf wear's culture. New Generation, 2011.p.9.
- [10] Bernhard R. Gentleman-A Timeless Fashion. Germany: Konemann, 2004.
- [11] Information on http://golf.21cn.com/pictures/jingxuan/2010/10/09/7867088\_3.shtml

## 1.Quote The Source of the Image



Fig. 1. Color design (From http://www.eeff.net)



Fig. 2. Color design (Contrasting colors) (From http://shijuezhi.diandian.com)

More examples for quote the source of the image used.

# 2. Examples of Format of the Table

#### 3. The functional requirements analysis of patient garment in clinical practice

Based on above analysis, it is easy to be seen that a patient garment will meet different hospital requirements depending on our understanding of the functional requirements of patient garment in clinical practice. For this, we visited Beijing Chaoyang Hospital, Xuanwu Hospital and Youan Hospital, interviewed 20 doctors and nurses and conducted questionnaires on over 120 patients from these three hospitals' different sections. Common functional requirements of patient garment in clinical practice are summarized in Table 2 and Table 3.

Table 2.1	Functional	requirements	for to	n in nursing	and treatment

Position	Common clinical examinations	Clinical examination needs	Clinical nursing needs	Patient mental requirements
Neck Chest	Tracheotomy Breast check; chest check; cardiopulmonary examination; ECG monitoring	①Convenient for check and examination; ②keep a	①Easy to put on or takeoff garment;	Not only convenient
Side	Tube and monitoring cables attach	smooth tube without reflux;	②convenient for daily nursing;	to clinical checking and nursing, but also
Abdomen	Abdominal examination, tube attach after surgery	③reduce the inconvenience	③reduce patient's pain	protect their privacy, reduce the
Shoulder and arm	Venipuncture; IV drips and transfusion of blood, blood pressure checks	for medical devices caused by	caused by garment traction or	exposure of their private parts.
Back	Back check, venipuncture, anesthetic injection	garments; 4 pa tient cooperate actively.	catching clod when naked.	

Table 3 Functional requirements for nants in nursing and treatmen

	I doze 5 I taretton	ar requirements for	ounce of the country	ucutanciii
Position	Common clinical examinations	Clinical examination needs	Clinical nursing needs	Patient mental requirements
Waist and abdomen Hip	Daily checking after surgery, tubes attach. Hip check, injection	①Easy to check and treatment; ②keep a smooth tube	①Easy to put on or take off garment; ② convenient for	Not only convenient to clinical checking and nursing, but also protect
Leg	Legs check, simple treatment after surgery.	without reflux;  ③ patient cooperate actively.	clinical check  (3) easy to daily nursing, such as, perineum clean	their privacy, reduce the exposure of their private parts.

Pregnancy weeks:	8-12	12-16	16-20	20-24	24-28	28-32	32-36
Rear horizontal waist circumference:	(0.39)	2.09	5.53	3.86	5.85	4.12	3.40
Rear horizontal waist circumference							
rate of change:	1.55%	8.27%	21.92%	15.28%	23.18%	16.33%	13.47%
Rear horizontal waist circumference							
thickness:	0.65	0.82	1.49	1.29	2.11	1.49	1.07
Rear horizontal circumference							
thickness rate of change:	7.25%	9.18%	16.68%	14.46%	23.63%	16.75%	12.05%
Abdominal circumference:	0.71	1.41	1.74	4.59	5.15	3.85	3.18
Abdominal circumference rate of							
change:	3.43%	6.81%	8.44%	22.27%	24.95%	18.65%	15.44%
Abdominal circumference thickness:	0.49	1.04	1.33	1.66	2.17	2.05	1.38
Abdominal circumference thickness							
rate of change:	4.83%	10.31%	13.17%	16.42%	21.42%	20.20%	13.64%
Hip circumference:	(0.03)	1.04	1.12	1.13	2.37	1.08	0.39
Hip circumference rate of change:	0.42%	14.54%	15.69%	15.74%	33.11%	15.11%	5.40%
Hip circumference thickness:	(0.46)	0.97	0.33	0.81	0.95	1.15	0.95
Hip circumference thickness rate of							
change:	8.19%	17.30%	5.88%	14.43%	16.96%	20.42%	16.82%
Umbilical circumference:	1.18	3.53	2.16	4.93	5.55	3.71	3.94
Umbilical circumference rate of							
change:	4.72%	14.14%	8.65%	19.71%	22.20%	14.83%	15.75%

Examples of format of the table in 3-lines

# 2. Examples of Format of the Table

#### 3. Data collections for detail size of human breast

#### 3.1 Measurement methods and measurements projects

This experiment applies three-dimensional non-contact laser body scanner and some human data supporting software to collect human data. Human-section data were extracted and analyzed through an interactive measurement to achieve body height, breadth, girth and some angle data.

According to above analysis and correlation measurement principles, the measurement ultimately selected 38 parts. They can reflect female breast shape for anthropometric measurements. Table 2 provides the definition derived from 19 project basic measurement. Fig. 2 shows a schematic diagram of the measurement accordingly.

Table 2. Definition	of basic measuremen	nt of the derived	19 project
---------------------	---------------------	-------------------	------------

	Table 2. Definition of basic measurement of the derived 19 project					
No.	Measurements	Measurement methods				
1	Bust depth	Horizontal straight line distance from bust circumference line before and				
1	Bust depth	after				
2	Under bust depth	Horizontal straight line distance from under bust circumference line before				
2	Olider oust deput	and after				
3	Bust breadth	Bust circumference line thorax transverse horizontal straight line distance				
,	Bust of each	from the left and right				
4	Under bust breadth	Under bust circumference line thorax transverse horizontal straight line				
	Chaer oust oreachi	distance from the left and right				
5	Breast pitch	Straight-line distance between breast points				
6	Breast depth	vertical distance from the nipple to the intersection between Torso front				
	•	midline and bust circumference line				
7	Neck shoulder point to breast	The distance between neck shoulder point and breast point				
	point					
8	Shoulder center point to breast	The distance between breast point and the midpoint of Neck shoulder point				
	point	to shoulder point				
9	Lateral shoulder to breast point	The distance between lateral shoulder point and breast point				
10	Center front point-bust inner	Straight-line distance between inside points of breast under outline				
	point length	•				
11	Bust inner side length	The arc length from breast point to medial point				
12	Bust external side length	The arc length from breast point to breast outer point				
13	Bust upper side length	The arc length from breast point to the upper edge point of the breast				
14	Bust under side length	The arc length from breast point to the lower edge point of the breast				
15	Bust under outline length	The arc length from Breast outer point to the lower edge point of the breast				
16	Bust inner side diameter	to breast medial point				
17	Bust inner side diameter Bust external side diameter	The vertical distance from breast point to medial point				
18		The vertical distance from breast point to breast outer point				
18	Bust upper side diameter	The vertical distance from breast point to the upper edge point of the breast The vertical distance from breast point to the lower edge point of the breast				
19	Bust under side diameter	to Proort model point				

to Breast medial point

Class	Average metabolic rate, W/m <sup>2</sup>	Max metabolic rate, W/m <sup>2</sup>	Expected officer activities
0 - resting	65 (55-70)	115 (100-125)	relaxation or rest state
l – low metabolic rate	100 (70-130)	180 (125-235)	sedentary office work; checking of persons crossing the state border, vehicles cargo documents; moving of light items; driving under normal conditions; patrolling at speed of up to 2.5 km/h (ISO 7243 up to 3.5 km/h)
2 – moderate metabolic rate	165 (130-200)	295 (235-360)	driving of a truck or vehicle in difficult conditions; moving of medium heavy items; patrolling at speed of 2.5-5.5 km/h (ISO 7243 3.5-5.5 km/h)
3 – high metabolic rate	230 (200-260)	415 (360-465)	intensive work outside the office — arresting of criminals, violators or trespassers, convoy missions; patrolling in full gear at speed of 5.5-7 km/h; moving of heavy items
4 – very high metabolic rate	290 (> 260)	520 (> 465)	extremely intensive work at a quick to maximum tempo outside the office – climbing stairs, ramps; running in full gear; active arresting of criminals, violators or trespassers; patrolling at speed of over 7 km/h

Objective	Criterion layer	Sub-criterion layer	Indicator layer	
	Brand Profit <i>U</i> <sub>1</sub> (0.2587)		Brand Added-value Main Business Profitability Selling Profit Growth Rate	U <sub>11</sub> (0.3309) U <sub>12</sub> (0.3560) U <sub>13</sub> (0.3131)
_	Brand Market	Market Power U <sub>21</sub> (0.5214)	Market Share Relative Market Share	$U_{211}$ (0.5464) $U_{212}$ (0.4536)
_	U <sub>2</sub> (0.2504)	Market Coverage $U_{22}$ (0.4786)	Entity Stores Expansion Rate Network Marketing Strength	U <sub>221</sub> (0.5071) U <sub>222</sub> (0.4929)
The brand operation performance		Innovation Capability $U_{31}$ (0.5071)	Chief Designer Ability Index Fashion Designers Proportion Apparel Products Update Rate	$U_{311}$ (0.3464) $U_{312}$ (0.2953) $U_{313}$ (0.3583)
of apparel enterprise U	Brand Development $U_3$ (0.2472)	Management Capability $U_{32}$ (0.4929)	Brand Growth Fund Proportion Current Assets Tumover Ratio Suppliers' On-time Delivery Rate Apparel Stock Tumover Organizational Structure Rationality Informationalized Level	$U_{321}$ (0.1695) $U_{322}$ (0.1741) $U_{323}$ (0.1662) $U_{324}$ (0.1690) $U_{325}$ (0.1607) $U_{326}$ (0.1605)
	Brand Equity U <sub>4</sub> (0.2437)		Brand Recognition Brand Reputation Brand Association Brand Lovalty	U <sub>41</sub> (0.2571 U <sub>42</sub> (0.2595 U <sub>43</sub> (0.2298 U <sub>44</sub> (0.2536

More examples: Table format

# 2. Examples of Format of the Table

These show that for most of the college students, advertising and sales staff do not play a key role in product promotion. The majority of college students rely on their own experience, relatives and friends' advice and related network data.

Table 2.	The		٠.	1	alathas		
rabie 2.	1 ne	reasons	to	ouv	ciomes	OIL	1110

	1 4010 2	The reasons to t	usy cromes omine	
	Туре	Frequency	Population (%)	Cumulative Percentage
Effective	Cost savings	41	28.5	28.5
	Save time	80	55.6	84.0
	Simple operation	12	8.3	92.4
	The pursuit of fashion	3	2.1	94.4
	Out of curiosity	3	2.1	96.5
	Others	4	2.8	99.3
	Total	144	100.0	

Table 3.	Information	sources	of online	shopping

	Туре	Frequency	Population (%)				
Effective	Relatives and Friends introduced	28	14.4				
	Network Data	66	33.8				
	Previous experience for their own use	58	29.7				
	Shopping occasionally found	30	15.4				
	The introduction of field sales personnel	1	0.01				
	Advertising	12	0.06				

(4) Factors Affecting College Students' satisfaction with online shopping

Table 4. Factors Affecting Satisfaction of undergraduates

	Type	Frequency	Population (%)
Effective	Cumbersome operating procedures	11	2.9
	The quality problem	122	32.6
	Service quality problems	51	13.6
	Logistics problems	46	12.3
	Description inconsistent	92	24.6
	After-sales service	44	11.8
	Web interface problem	1	0.3
	Security problems	7	1.9

Table 2. The pressure gradient along human lower limb

No.	Specified pressure gradient	Calculated pressure gradient Ankle: Calf:Knee: Thigh			
	Ankle:Calf:Thigh				
		Anterior	100:81:69:52		
		Lateral	100:88:78:59		
nd 1	100:70:50	Posterior	100:59:51:47		
		Medial	100:117:137:98		
		Average	100:80:75:59		
		Anterior	100:76:50:42		
		Lateral	100:82:58:47		
Brand 2	100:70:40	Posterior	100:47:34:35		
		Medial	100:96:89:70		
		Average	100:70:51:45		

#### Table 4. Final variables and data sources

	Table 4. I mai variables and data sources					
Type of the variable	Variable name	Data source				
Dependent variable	Carbon emissions of textile and garment industry in Beijing Y	Beijing Statistical Yearbook: Industry energy consumption  IPCC Database: Carbon emission coefficient o various types of energy consumption				
explanatory variables	International market share index X <sub>1</sub> Energy intensity X <sub>2</sub>	Beijing Statistical Yearbook, Beijing Business Council, UN Comtrade database Beijing Statistical Yearbook				

According to the variables definition and data description, the data is collected in Table 5.

Table 5. Main factors of carbon emission in Beijing textile industry from 2003 to 2012

Year	Carbon emissions of textile and garment industry in Beijing Y (ten thousand tons of CO <sub>2</sub> )	International market share index of Beijing textile and garment industry X <sub>1</sub> (%)	Energy intensity of Beijing X <sub>2</sub> (ten thousand tons of standard coal per ten thousand US dollars)
2003	65.318	0.654	0.000134
2004	65.518	0.673	0.000152
2005	64.825	0.858	0.000115
2006	65.506	0.723	0.000111
2007	64.730	0.691	0.000104
2008	58.220	0.682	0.000101
2009	51.709	0.646	0.0000984
2010	49.076	0.642	0.0000831
2011	48.298	0.609	0.0000881
2012	47.331	0.631	0.0000952

Data source: Beijing Statistical Yearbook, Beijing Business Council, UN Comtrade database

### Put the date source

# 3. Page Layout




Fig. 4. Three layer structure of MCI.

Fig. 5. Design illustration and prototype of MCI.

	Test Item	Fabric Property	Standards	Testing Instruments
1	Thickness	Thickness	ASTM D 1777	SDL fabric thickness tester
2	Weight	Weight per unit area	ASTM D 3376	Balance, Fabric cutter
3	Air resistance	Air resistance	KES method	KES Air-permeability tester
4	Water vapor permeability	Water vapor permeability	ASTM E96	Balance, wide-mouse vessels
5	Moisture	WT: Wetting Time Top/bottom (sec)	AATCC Test	SDL Moisture
	Management Capacity	MAR: Maximum absorption rates Top/bottom MWR: Top/bottom Max Wetted Radius (mm) SS: Spreading speeds Top/bottom (mm/sec) OWTC: Cumulative one-way transport capacity (%) OMMC: Overall moisture management capacity	Method 195	management tester (MMT)

Table 2. Physical properties of MMF

Weight Air resistance Water vapor M

Thickness	Weight	Air resistance	Water vapor	Moisture Management Capacity			
[mm]	$[g/m^2]$	[KPa.s/m]	permeability [g/m2.day]	WTt (sec)	MWRt (mm)	OWTC (%)	OMM C
5.10±0.5	395±5	0.19±0.05	724.13±10	3.5±0.5	4±1	5±0.1	5±0.5
			A 77777. 777		3 (1117)	3.6 777	1.70 11

\* WTt: Wetting Time Top; MWRt: Top Max Wetted Radius

1. For images used, you need to put the source of the image in either ways.

2. To save space, you can put image, tables in one page in clear layout if they are in nearby paragraph.

## 4. Error Bar





Fig.4 Drug release curves of fibrous membranes with different drug percentages; (A) and (B) represent release curves of curcumin and 5-ASA in the samples; a-c represent the fibrous membranes with different drug percentages at 0.4%, 0.9% and 1.9%, respectively







Fig. 5 Changes of the nanofiber diameters (a) different flow rates with 17kV (b) different voltages with 4.0ml/h



# 5. Standard (STD)

Table 2: The corresponding output current when the moisture content of fabric changes (Mean+STD)

			-					,	
	Cotton: Size: 29.5 cm×29.5 cm Thickness: 0.60 mm				Denim: Size: 38.0 cm×37.5 cm				
					Thickness: 0.85 mm Dy weight: 51.41 g				
	Dry weight: 17.84 g								
	Current (mA)	Weight (g)	Moisture (%)	STD	Current (mA)	Weight (g)	Moisture (%)	STD	
	19.01	54.12	203.4	0.8735	19.07	128.08	149.1	1.0352	
	18.84	47.52	166.4	0.8675	18.92	109.40	112.8	0.8521	
	18.92	45.23	153.5	0.9783	18.68	103.94	102.2	0.6654	
	18.52	42.40	137.7	0.8972	18.61	99.25	93.06	0.7613	
	18.36	39.84	123.3	0.6772	18.57	95.62	85.99	0.8369	
	18.07	37.71	111.4	0.9983	18.39	91.01	77.03	0.7834	
	17.89	35.41	98.49	1.0021	17.91	86.04	67.36	0.9093	
	17.62	33.82	89.57	0.4536	17.64	82.84	61.14	0.8400	
	17.27	31.55	76.85	0.7566	17.49	76.98	49.74	0.3567	
	16.98	29.74	66.70	1.0132	17.34	73.97	43.77	0.4649	
	16.65	28.22	58.18	0.8865	16.44	70.29	36.72	0.8530	
	16.00	26.39	47.93	0.9876	15.99	67.60	31.49	0.8032	
	15.36	25.13	40.86	1.0201	14.57	65.03	26.49	0.7900	
	15.05	24.05	34.81	0.9687	12.87	62.01	20.62	0.6703	
	14.80	22.66	27.02	0.8534	11.34	58.20	13.21	0.4032	
	12.96	21.07	18.11	0.8653	4.85	54.61	6.22	0.3306	
	11.08	19.76	10.76	0.7752	3.84	52.52	2.16	0.3706	
	8.72	18.78	5.27	0.5796					
	6.09	18.02	1.01	0.2538					
		Linen	:			Chiffo	n:		
		Size: 35.2 cm	×40.5 cm			Size: 32.0 cm	×43.0 cm		
		Thickness: 0	.30 mm			Thickness: 0.25 mm			
	Dry weight: 29.18 g			Dry weight: 8.70 g					
	Current (mA)	Weight (g)	Moisture (%)	STD	Current (mA)	Weight (g)	Moisture (%)	STD	
	15.45	64.30	120.4	0.9684	14.61	23.79	173.4	1.1209	
	14.31	59.17	102.8	0.8961	13.84	21.23	144.0	0.7900	
	13.57	56.22	92.67	0.5399	12.64	19.31	122.0	1.0265	
	12.01	53.27	82.56	0.7643	12.45	17.07	96.21	0.8846	
	11.27	49.71	70.36	1.0092	12.20	14.11	62.18	0.7965	
	12.18	46.90	60.73	0.7896	10.25	11.23	29.08	0.3230	
	11.50	45.35	55.41	0.8851	6.53	9.40	8.05	0.4629	
	10.47	42.64	46.13	0.8490	3.72	8.75	0.57	0.1577	
	9.80	40.30	38.11	0.9965					
	7.45	36.87	26.35	0.3689					
	6.14	35.33	21.08	0.4570					
	5.68	34.36	17.75	0.5982					
	4.96	33.17	13.67	0.6782					
	4.38	32.18	10.28	0.6630					
	3.70	31.28	7.20	0.5305					
	3.68	30.18	3.43	0.4501					
	3.60	29.52	1.17	0.3670					

### Example

# 6. Acknowledgement

### **Acknowledgement:**

- Project name,
- Project number,
- Funding name
- Funding grand No.

This work was supported by ....

We would like to thank the support of ...

This project is supported by ....

## 7.Improve sentence structure:

```
- Be careful of the past and present tense throughout your paper.
        1) The experiment you conducted is in the past (past tense)
        2) The things that you discover or what the paper is proposing is in the present
           (present tense) this includes what you hope to achieve or the purpose of
           your paper₽
- Do not start a sentence with a conjunctive 4
   Common problems include: 4
       1) Do not start a sentence with but, and, because &
       2) Remember: you either start a new sentence or you use the conjunctives to link
           two points together +
- Keep your sentences short and precise-
        1) Whenever you try to link a number of different ideas and thoughts together,
           they become over complicated.
        2) A lot of grammar mistakes occur when sentences are too long.
        3) Each sentence should be a maximum of two lines.
- Be careful of the vocabulary you use. Some of them are not appropriate for its context. 4
        Example: 🗸
        "This paper studies"
        It's better to use more appropriate terminology such as:
            - This paper explores etc. ₽
            - This paper focuses on ... ₽
```

# Revise Paper

### Highlight changes in **RED**

#### Abstract₽

ų.

The Northern Qi Dynasty corresponded to a Cold War era in China. Its military apparel developed well, and it had a certain importance in history. However, scholarship in the study of military uniforms of this era is insufficient. The study is based on terracotta warriors in military uniforms from 22 tombs of the Northern Qi Dynasty in Henan, Hebei, and Shanxi province. The study proposed classification for military uniform patterns of the Northern Qi Dynasty with the perspective of clothing. The purpose of the study was to investigate the form and characteristics of military uniforms in the Northern Qi Dynasty.

#### Abstract₽

+

During prolonged walking and running, the plantar aspect of the foot is subjected to repetitive pressure and cycles of shearing, along with high levels of moisture due to perspiration and heat. The combination of all these elements not only affects comfort, but also provides an ideal condition for friction blister formation. The current study explored the physical properties of a predominantly nylon anti-blister sock and a cotton-rich sock along with their characteristics relevant to thermo-physiological comfort. The anti-blister fabric exhibited a slightly higher sliding friction than the cotton-rich fabric in dry condition. However, in the presence of moisture, the anti-blister fabric produced lower sliding friction than the cotton-rich fabric-which could be attributed to the low water vapour resistance and good one-way transport ability of anti-blister fabric. It is hoped that these results could be used to inform the actual frictional performance of the socks in different moisture settings, taking into account the propensity for sweating to occur. 40

Keywords: Foot-sock interface; Biotribology; Moisture conditions; Running sock; Friction blisteral

# Revise Paper

Please address every issue raised, a general comment of such as "All issues have been modified in accordance with requirements" or "These problems have been improved in the paper" etc are not acceptable. The form "Reply to reviewers" will be viewed by editors and reviewers.

